

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	380	(73/514.33).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:25
L2	119	I1 and (acceleration adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:25
L3	0	I2 and (weight adj fixing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:26
L4	65	I2 and (weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:26
L5	5	I4 and (cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:33
L6	124	(73/514.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:34
L7	643	(257/440).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:34
L8	13	I7 and (cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:35

EAST Search History

L9	1	l8 and (diaphragm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:35
L10	0	l8 and (diaphragm).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:35
L11	0	(weigh adj fix\$3) same (cylindrical adj portion) same (diaphragm adj portion) and (acceleration adj sensor) and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:37
L12	0	(weigh adj fix\$3) and (cylindrical adj portion) and (diaphragm adj portion) and (acceleration adj sensor) and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:37
L13	0	(weigh) same (cylindrical) same (diaphragm) same (acceleration) and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:38
L14	1	(weigh) same (cylindrical) same (diaphragm) same (acceleration) and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:39
L15	4519	(acceleration adj sensor) and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:39
L16	419	l15 and (cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:48

EAST Search History

L17	112	l16 and (diaphragm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:40
L18	80	l17 and (weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:40
L19	5	l18 and (diffus\$3 adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:42
L20	1	l18 and (diffus\$3 adj resistor).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:42
L21	2	(semiconductor adj sensor) and (weight) and (cylindrical) and (diaphragm) and (abut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:45
L22	27	(semiconductor adj sensor) and (weight) and (cylindrical) and (diaphragm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:47
L23	1	l22 and (circular adj outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:46
L24	1	l22 and (stopper adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:47

EAST Search History

L25	1	l22 and (trapezoidal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:47
L26	1	(semiconductor adj sensor) with (weight) with (cylindrical) with (diaphragm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:47
L27	185628	"438"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:49
L28	116	l27 and (semiconductor adj acceleration adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:50
L29	52	l28 and (weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:50
L30	3	l29 and (cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:50
L31	11382	l27 and (sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:50
L32	113	l31 and (support adj portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:51

EAST Search History

L33	37	I32 and (weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:51
L34	3	I33 and (cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:51
S1	1056	(438/48).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 12:19
S2	0	S1 and (acceletation adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 12:19
S3	14	S1 and (semiconductor adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 14:24
S4	1	S3 and (weight adj fixing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 12:20
S5	2	("20060094148").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 13:09